

KÖSTER

TPO-/ECB-













ACCESSORIES

Issue: 2019



Accessory Range

A complete range of accessories for KÖSTER TPO Roofing Membranes

Product image	Product name	Product description
	RT 901 001 	KÖSTER External Corner light grey 90 degrees, height 10 cm For the professional creation of external corners, 90°, length of edge 100 mm
	RT 901 002 B	KÖSTER External Corner black, height 30 cm For the professional creation of external corners, 90°, length of edge 300 mm
	RT 902 001 	KÖSTER Internal Corner light grey 90 degrees, height 10 cm For the professional creation of internal corners, 90°, length of edge 100 mm
	RT 902 002 B	KÖSTER Internal Corner black, height 30 cm For the professional creation of internal corners, 90°, length of edge 300 mm
	RT 903 001 	KÖSTER Round Corner Patch light grey For the waterproofing of corner formations such as skylights
	RT 904 001 	KÖSTER Pipe Flashing 8/180 light grey For the safe waterproofing of cable penetrations, inner diameter 8 mm, height 180 mm
	RT 906 001 B	KÖSTER Pipe Flashing 15/120 black For the safe waterproofing of cable penetrations, includes shrink tubing, inner diameter 15 mm, height 120 mm
	RT 904 002	KÖSTER Pipe Flashing 34/180 light grey For the safe waterproofing of cable penetrations, inner diameter 34-93 mm, height 120-180 mm
	RT 904 003	KÖSTER Pipe Flashing 40/190 light grey For the safe waterproofing of cable penetrations, inner diameter 40 - 175 mm, height 190 mm

A complete range of accessories for KÖSTER TPO Roofing Membranes

Product image	Product name	Product description
	RT 904 003 B KÖSTER Pipe Flashing 40/190 black	For the safe waterproofing of cable penetrations, inner diameter 40 - 175 mm, height 190 mm
	RT 905 001 KÖSTER Pipe Flashing 10/300 light grey	For the safe waterproofing of lightning protection cables and other cable penetrations, includes shrink tubing, inner diameter 10 mm, height 300 mm
	RT 905 002 KÖSTER Pipe Flashing 20/300 light grey	For the safe waterproofing of lightning protection cables and other cable penetrations, includes shrink tubing, inner diameter 20 mm, height 300 mm
	RT 905 005 KÖSTER Pipe Flashing 30/300 light grey	For the safe waterproofing of lightning protection cables and other cable penetrations, includes shrink tubing, inner diameter 30 mm, height 300 mm
	RT 905 003 KÖSTER Pipe Flashing 40/300 light grey	For the safe waterproofing of cable penetrations, includes shrink tubing, inner diameter 40 mm, height 300 mm
	RT 905 006 KÖSTER Pipe Flashing 50/300 light grey	For the safe waterproofing of cable penetrations, includes shrink tubing, inner diameter 50 mm, height 300 mm
	RT 101 006 KÖSTER PUR Membrane Adhesive	Adhesive for fleece membranes with fleece backing, consumption: 160 - 450 g/m ²
	RT 104 001 KÖSTER 2C PUR Membrane Adhesive	adhesive for bonding fleece backed KÖSTER TPO/ECB roofing membranes with an electrical cartridge gun. Required: max. 4 cartridge every 50 m ²
	RT 999 001 KÖSTER Hand press for KÖSTER 2C PUR Membrane Adhesive	Electrically operated lance / pistol for applying the KÖSTER 2C PUR Membrane Adhesive

Accessory Range

A complete range of accessories for KÖSTER TPO Roofing Membranes

Product image		Product name	Product description
	RT 102 004	KÖSTER Contact Adhesive	Contact adhesive for details and connections with non-fleece backed KÖSTER ECB and KÖSTER TPO Membranes to non-TPO substrates. Consumption: 175 - 250 g / m ² per side
	RT 103 012	KÖSTER TPO SK Primer	Solvent based resin primer for the application of KÖSTER TPO SK (FR) Membranes. Consumption: approx. 200 g/m ²
	RT 920 075	KÖSTER Vapor Barrier FR	Vapor barrier with low fire load according to the DIN 18234, fire class E, heating value < 10.500 KJ/m ² , Sd value of > 1500 m, approved as a temporary waterproofing means (b: 1500 mm; 50)
	RT 925 001	KÖSTER Maintenance Walkway Mat	For creating safe protective walkways on flat roofs. Weldable with KÖSTER TPO and KÖSTER ECB roofing membranes (d: 4 mm; b: 590 mm; l:785 mm)
	RT 927 010	KÖSTER Walkway Membrane grey	For creating foot access paths on flat roofs, hot air weldable with KÖSTER TPO and ECB Membranes (w: 1000 mm; l: 10 m)
	RT 910 002	KÖSTER TPO Metal Composite Sheet Grey	One-sided TPO coated zinc plated metal sheet used to fabricate metal drip edges and other roofing edge profiles. 1.00 x 2.00 m
	RT 910 030	KÖSTER TPO Metal Composite Coil grey	As gutter flashing, coping, or drip edge with one-sided weld-able TPO coating. 1 m x 30 m coil
	RT 914 010 S	KÖSTER Roof Drain Vertical DN 100	Roof drains with foam adhered KÖSTER TPO-F seal including leaf trap DN 100
	RT 914 012 S	KÖSTER Roof Drain Vertical DN 125	Roof drains with foam adhered KÖSTER TPO-F seal including leaf trap DN 125

A complete range of accessories for KÖSTER TPO Roofing Membranes

Product image

Product name


Product description



RT 914 011

KÖSTER Roof Drain angled T DN 100

Angled roof drains with foam adhered KÖSTER TPO-F seal including leaf trap DN 100



RT 914 014

KÖSTER T Roof Drain Extension

Roof drain extension for insulation thickness of 60-220 mm with around KÖSTER TPO-F seal



RT 914 016

KÖSTER More Roof Drain Retaining

For emergency drainage of KÖSTER Roof Drain T with cover and accumulation of 25-105 mm



RT 915 001

KÖSTER Roof Drain with Leaf Trap NW 70 light grey

TPO Roof drain with sealing sheet and leaf Trap NW 70 mm, light grey



RT 915 002

KÖSTER Roof Drain with Leaf Trap NW 100 light grey

TPO Roof drain with sealing sheet and leaf Trap NW 100 mm, light grey



RT 915 003

KÖSTER Roof Drain with Leaf Trap NW 125 light grey

TPO Roof drain with sealing sheet and leaf Trap NW 125 mm, light grey



RT 915 014

KÖSTER System Roof Vent DN 100

System vent with connecting pipe and foam adhered TPO-F sealing sheet



RT 915 015

KÖSTER Base Plate for Roof Vent DN 100

Base plate for system roof vent with foam adhered TPO-F sealing sheet



RT 915 020

KÖSTER Vent Rain Cover

Vent rain cover with fastener rings for system roof vent

Accessory Range

A complete range of accessories for KÖSTER TPO Roofing Membranes

Product image	Product name	Product description
	RT 916 003 KÖSTER Cold-Roof Vent with Cap NW 75	Roof vent light grey, NW 75 with black cap
	RT 916 002 KÖSTER Cold-Roof Vent with Cap NW 100	Roof vent light grey, NW 100 with light grey cap
	RT 917 001 B KÖSTER Attica Spout 120*60*300 mm	Rectangular attica spout, black. 120*60*300 mm
	RT 917 003 B KÖSTER Attica Spout 300*80*300 mm	Rectangular attica spout, black. 300*80*300 mm
	RT 917 010 KÖSTER Water spout DN 70 75*480 mm	Water spout PE, round, DN 70 light grey, external diameter 75 mm, pipe length 480 mm
	RT 917 011 KÖSTER Water spout DN 100 110*480 mm	Water spout PE, round, DN 100 light grey, external diameter 110 mm, pipe length 480 mm
	RT 918 001 B KÖSTER Emergency Overflow 120*60*300 mm	Emergency overflow, black. 120*60*300 mm
	RT 918 003 B KÖSTER Emergency Overflow 300*80*300 mm	Emergency overflow, black. 300*80*300 mm
	RT 918 011 KÖSTER Emergency Overflow DN 100 110*490 mm	Emergency overflow, light grey, round DN 100, external diameter 110 mm, Pipe length 490 mm

For technical data please refer to the Technical Data Sheets found online at www.koster.eu

A complete range of accessories for KÖSTER TPO Roofing Membranes

Product image

Product name

Product description



RT 919 004

KÖSTER Bar for membrane fastening

Width/Height/Length in mm
30/1,25/2400; holes 7+15 mm
(Bundle = 10 piece)



RT 919 003

KÖSTER Wall connection profile 60 mm

Finishing profile, aluminium, length 3 m, perforated



RT 919 001

KÖSTER Edge for wall connection profile 60 mm PVC

KÖSTER PVC edge for KÖSTER wall connection profile



R 990 001

Leister Automatic Welder Varimat V2

Automatic welder 400 Volt 5700 Watts, 40 mm includes storage case



R 991 001

Leister Automatic Welder Uniroof AT

Automatic welder 230 Volt 2900 Watts, 40 mm includes storage case



R 992 001

Leister Hot-Air Hand Tool

Triac AT, 230 Volt, 1600 Watts, wide slot nozzle 2 mm x 40 mm



R 995 001

Leister Wide Slot Nozzel 40 mm

Additional nozzle for hot-air hand tool



R 998 001

KÖSTER Leister Hand Pressure Roller 40 mm

Silicone, ball bearing, one arm



RT 929 001

KÖSTER Weld Seam Tester

Weld seam tester for testing and inspection of seams on KÖSTER TPO and ECB Roofing Membranes

● ● ● Light grey / Black / Slate grey



Service you can depend on

With our service and distribution network in many countries world-wide we can offer you professional advice and technical support immediately and on the spot. Your required waterproofing materials can be delivered promptly and will protect your property efficiently and lastingly.

For further information, please contact:



KÖSTER BAUCHEMIE AG | Dieselstraße 1–10 | D-26607 Aurich
Phone: +49 (4941) 9709-0 | Fax: +49 (4941) 9709-40 | info@koster.eu | www.koster.eu